

## FEATURES:

- 1X1 Tab-UP, 1" Long RJ45 with internal magnetics
- 16pin signal pin versions available
- Available with LEDs
- Suitable for CAT 5 & 6 Fast Ethernet Cable or better UTP
- Internal magnetics are 100% electrically tested for HI-POT and functionality



YUAN DEAN SCIENTIFIC



RJ45 Jack

56F(10G) SERIES

With Magnetics

10G Base-T

TAB Up



## Electrical Specifications@25°C-Operating Temperature 0°C to 70°C

Part Number	Turns Ratio (±3%)	LEDs	Insertion Loss (dB MAX)		Return Loss (dB MIN)				Crosstalk (dB TYP)		DCMR (dB TYP)		Hipot (Vrms)
		L/R	1-100 MHz	100-400 MHz	1-100 MHz	100-200 MHz	200-400 MHz	400-500 MHz	1-100 MHz	100-500 MHz	1-250 MHz	250-500 MHz	@60Hz
56F-1602DGD2NL	1CT:1CT	G&Y/G	-2.0	-3.0	-13	-10	-7	-6	-28	-19	-30	-22	1500
56F-1604DGD2NL	1CT:1CT	G&Y/G	-2.0	-3.0	-13	-10	-7	-6	-28	-19	-30	-22	1500

## Electrical Specifications @25°C-Operating Temperature -40°C to 85°C

Part Number	Turns Ratio (±3%)	LEDs	Insertion Loss (dB MAX)	Return Loss (dB TYP)			Crosstalk (dB TYP)		CMR (dB TYP)		Hipot (Vrms)	
		L/R	1-400 MHz	1-40 MHz	40-500 MHz	1-100 MHz	100-500 MHz	1-250 MHz	250-500 MHz	@60Hz		
56F-1601DGDZ2NL	1CT:1CT	G&Y/G	-2.0	-22	-17+18.27log(f/100MHz)			-30	-20	-30	-22	1500

www.yds.com.tw




TEL : 886-6-3842899

FAX : 886-6-3843288

E-MAIL: ydsweb@yds.com.tw

Rev: 2 2022/06/27


Mechanical and Dimension




UNIT: mm Unless otherwise specified, all tolerances are ±0.25

Schematics

56F-1601



56F-1602



56F-1604

